

Curriculum Vitae

Name: AZIM HONARMAND

Address: Isfahan- Sofea Street- Alzahra Hospital- Office of Anesthesiology and Critical Care

Phone - 00989131102327

Email: honarmand@med.mui.ac.ir

ORCID ID: 0000-0002-2373-9241

PERSONAL INFORMATION

Date of birth, Marital statues, ...

Graduated from Anesthesiology in 2000- Married- birth of day = 1964 June

EDUCATION

Most recent

Date, Degree/Course, Department/University, Dissertation title

Graduated from Anesthesiology in 2000- Department of Anesthesiology

GRANTS AND FELLOWSHIPS

Date, Name, Significant info., Amount

RESEARCH EXPERIENCE

Date, Title, University/organization, Description

Comparison of Intraperitoneal Versus Intravenous Dexamethasone on Postoperative Pain, Nausea, and Vomiting After Laparoscopic

Cholecystectomy

Published: Apr 2022 in Anesthesiology and Pain Medicine

DOI: 10.5812/AAPM-122203

Comparison of airway assessment tests for prediction of difficult intubation in obese patients: importance of thyromental height and upper lip bite test

Published: Mar 2022 in Minerva Anestesiologica

DOI: 10.23736/S0375-9393.21.15764-5

0

A comparison of disk diffusion method and E-test in determining the susceptibility and resistance of Klebsiella and Acinetobacter strains to cefepime in patients with ventilator-associated pneumonia admitted to the intensive care unit

Published: Feb 2022 in Immunopathologia Persa

DOI: 10.34172/IPP.2022.30330

The effect of caudal epidural block on the surgical complications of hypospadias repair in children aged 6 to 35 months: A randomized controlled trial

Published: Feb 2022 in Journal of Pediatric Urology

DOI: 10.1016/J.JPUROL.2021.11.009

Evaluation of Plasma Fibrinogen Levels before and after Coronary Artery

Bypass Graft Surgery and Its Association with the Need for Blood Products

Published: Jan 2022 in Advanced Biomedical Research

DOI: 10.4103/ABR.ABR_22_21

0

The effect of a flexible family visit on nausea, vomiting, pain and physiological parameters after laparoscopic cholecystectomy in post-anesthesia care unit:

A randomized controlled trial

Published: Dec 2021 in Perioperative Care and Operating Room Management

DOI: 10.1016/J.PCORM.2021.100222

An Evaluation of the Online Quality of Content of United States Accredited Pain Medicine Fellowship Training Programs

Published: Jun 2021 in Anesthesiology and Pain Medicine

DOI: 10.5812/AAPM.115981

A Comparative Study of Valsalva Maneuver, Lidocaine, and Valsalva Maneuvers with Administration of Lidocaine to Reduce the Pain Associated with Administration of Etomidate During General Anesthesia

Published: Jun 2021 in Anesthesiology and Pain Medicine

DOI: 10.5812/AAPM.113408

Comparison Prophylactic Effects of Gargling Different Doses of Ketamine on Attenuating Postoperative Sore Throat: A Single-Blind Randomized Controlled Trial

Published: Jan 2021 in International Journal of Preventive Medicine

DOI: 10.4103/IJPVM.IJPVM_147_19

0

Comparison of hemodynamic changes and serum potassium levels in the use of succinylcholine and cisatracurium in electroconvulsive therapy

Published: 2021 in Journal of Research in Medical Sciences

DOI: 10.4103/JRMS.JRMS_951_19

Anaesthetic Management of a Known Case of Werner Syndrome by Peripheral Nerve Block in the Orthopaedic Surgery of Forearm

Published: Jun 2020 in Turkish Journal of Anaesthesiology and Reanimation

DOI: 10.5152/TJAR.2020.93902

0

How to predict difficult tracheal intubation: The application of acromio-axillosuprasternal notch index

Published: May 2020 in Advanced Biomedical Research

DOI: 10.4103/ABR.ABR_228_19

1

Comparing the prophylactic effects of oral gabapentin, pregabalin, and celecoxib on postoperative pain management in orthopedic surgery of the lower extremity: A double-blind randomized controlled trial

Published: Jan 2020 in Journal of Research in Medical Sciences

DOI: 10.4103/JRMS.JRMS_140_19

6

Effects of adding dexmedetomidine to ketamine on heart rate and blood pressure changes in psychiatric patients undergoing electroconvulsive therapy

Published: 2020 in Koomesh

The effect of adding dexmedetomidine on change in heart rate and blood

pressure after induction of anesthesia with thiopental sodium in electroconvulsive therapy; A randomized clinical trial study

Published: 2020 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V38I579.13041

Comparison of the acromio-axillosuprasternal notch index with five anatomical indices for the prediction of difficult laryngoscopy and intubation

Published: Jul 2019 in European Journal of Anaesthesiology

DOI: 10.1097/EJA.0000000000001000

0

Comparison of the effect of thiopental sodium-midazolam combination on the hemodynamic response between tracheal intubation and laryngeal mask airway insertion: A clinical trial study

Published: Jun 2019 in Scientific Journal of Kurdistan University of Medical Sciences

DOI: 10.29252/SJKU.24.2.99

Comparison of the effect of dexamethasone, midazolam, and ondansetron injection alone, or in combination, and placebo on the severity of shivering during and after spinal anesthesia in orthopedic operations of the lower limb

Published: 2019 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V37I518.10948

A comparative study of predicting difficult intubation by six indexes of thyromental height (TMH), acromioaxillary-suprasternal notch index (AASI), modified mallampati test (MMT), upper lip biting test (ULBT), height to thyromental distance ratio (RHTMD), and neck circumference to thyromental height ratio (NC/TMH) in patients undergoing general anesthesia

Published: 2019 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V37I517.11119

Comparison of the performance of acromioaxillosuprasternal notch index with old method of anatomical measurement of head and neck in predicting laryngoscopy forecasting problems in pediatrics surgical procedures requiring tracheal intubation under general anesthesia

Published: 2019 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V37I514.10956

Evaluation and comparison of the effects of intravenous lidocaine versus alkalized intracuff lidocaine on coughing and postoperative sore throat

Published: 2019 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V36I510.10699

Preventive effect of different doses of tramadol on postoperative shivering during and after lower limb orthopedic surgery under spinal anesthesia as compared to control group

Published: 2018 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V36I489.9908

The preemptive effect of magnesium sulfate gargle, ketamine gargle or dexamethasone intravenous injection on sore throat following surgery in patients undergoing surgery with general anesthesia

Published: 2018 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V36I497.10141

Comparing the effect of sodium thiopental, magnesium sulfate, midazolam, prime etomidate, and remifentanil on myoclonus incidence and pain induced

by anesthesia with etomidate

Published: 2018 in Journal of Isfahan Medical School

The effect of using topical lidocaine on blade and cuff of laryngoscope, and tracheal mucosa on changes of heart rate and blood pressure during laryngoscopy and intubation

Published: 2017 in Journal of Isfahan Medical School

Comparison of the effects of remifentanyl-propofol and remifentanylisoflurane on hemodynamic variables, blood gases, and blood glucose among patients under general anesthesia

Published: 2017 in Journal of Isfahan Medical School

The effect of labetalol or remifentanil on blood pressure and heart rate after laryngoscopy and intubation

Published: 2017 in Journal of Isfahan Medical School

The effects of three different doses of sufentanil on changes in blood pressure and heart rate after laryngoscopy and intubation, and comparison with the control group

Published: 2017 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V37I556.12203

Association of mean arterial pressure during cardiopulmonary pump and incidence of delirium after coronary artery bypass graft surgery

Published: 2017 in Journal of Isfahan Medical School

The effect of intravenous hydrocortisone (1 or 2 mg/kg) on postoperative shivering in cesarean section with spinal anesthesia

Published: 2017 in Journal of Isfahan Medical School

Comparison study of preemptive effect of intratechal fentanyl with intravenous ondansetron, dexamethasone, and dexamethasone plus ondansetron on shivering during surgeries under spinal anesthesia with bupivacaine

Published: 2017 in Journal of Isfahan Medical School

The efficacy of different doses of liquorice gargling for attenuating postoperative sore throat and cough after tracheal intubation

Published: Aug 2016 in European Journal of Anaesthesiology

DOI: 10.1097/EJA.0000000000000400

6

Acromio-axillo-suprasternal notch index: a new screening test to predict difficult laryngoscopy in obstetric patients scheduled for caesarean delivery

Published: Aug 2016 in European Journal of Anaesthesiology

DOI: 10.1097/EJA.0000000000000437

2

A Comparison on the Preventive Effect of 100 mg and 200 mg Oral Celecoxib on shivering during and after orthopedic lower extremity surgery under the spinal anesthesia; A randomized controlled clinical trial study

Published: 2016 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V38I564.10988

The evaluation of effects two different doses of hydrocortisone on the intensity of perioperative shivering in elective surgery under spinal anesthesia: A double-blind randomized controlled trial study

Published: 2016 in Journal of Research in Medical Sciences

DOI: 10.4103/1735-1995.183993

1

Prophylactic antiemetic effects of Midazolam, Ondansetron, and their combination after middle ear surgery

Published: 2016 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.176556

5

Prophylactic antiemetic effects of midazolam, ondansetron and their combination after middle ear surgery

Published: 2016 in Journal of Isfahan Medical School

Comparing “acromio-axillo-suprasternal notch index (AASI)” as a new screening test for predicting difficult laryngoscopy with four commonly used tests

Published: 2016 in Journal of Isfahan Medical School

Evaluation of the relationship between serum level of selenium at arrival to intensive care unit with duration of mechanical ventilation, mortality and inflammatory factors in multiple trauma patients

Published: 2016 in Journal of Isfahan Medical School

Evaluation of prophylactic injection of two doses of tramadol on heart rate and blood pressure changes compared with control group after laryngoscopy and intubation

Published: 2016 in Journal of Isfahan Medical School

Evaluating the relationship of serum level of magnesium at arrival to intensive care unit and mortality rate and inflammatory factors in patients with multiple trauma

Published: 2016 in Journal of Isfahan Medical School

Comparative evaluation of the effects of different doses of labetalol on cardiovascular response to tracheal intubation

Published: 2016 in Journal of Isfahan Medical School

Evaluating the prophylactic effect of magnesium sulfate and combination of midazolam and ketamine for prevention of shivering during regional anaesthesia

Published: 2016 in Journal of Isfahan Medical School

Evaluating the effect of various doses of magnesium sulfate on cardiovascular changing and stimulating due to laryngoscopes and intubation

Published: 2015 in Journal of Isfahan Medical School

The efficacy of different doses of Midazolam added to Lidocaine for upper extremity Bier block on the sensory and motor block characteristics and postoperative pain

Published: 2015 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.162359

4

The comparative study of intravenous Ondansetron and sub-hypnotic Propofol dose in control and treatment of intrathecal Sufentanil-induced pruritus in elective caesarean surgery

Published: 2015 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.155751

2

Different doses of intravenous Magnesium sulfate on cardiovascular changes following the laryngoscopy and tracheal intubation: A double-blind randomized controlled trial

Published: 2015 in Journal of Research in Pharmacy Practice
DOI: 10.4103/2279-042X.154365

12

Magnesium sulfate versus Lidocaine pretreatment for prevention of pain on etomidate injection: A randomized, double-blinded placebo controlled trial

Published: 2015 in Journal of Research in Pharmacy Practice
DOI: 10.4103/2279-042X.150044

4

Intrathecal Meperidine versus intrathecal Fentanyl for prevention of shivering in lower limb orthopedic surgeries under spinal anesthesia: A randomized double-blind placebo-controlled trial

Published: Oct 2014 in Journal of Research in Pharmacy Practice
DOI: 10.4103/2279-042X.145390

5

Prophylactic effects of intrathecal Meperidine and intravenous Ondansetron on shivering in patients undergoing lower extremity orthopedic surgery under spinal anesthesia

Published: Jul 2014 in Journal of Research in Pharmacy Practice
DOI: 10.4103/2279-042X.141105

19

A randomized controlled trial for the effectiveness of intraarticular versus intravenous midazolam on pain after knee arthroscopy

Published: May 2014 in Journal of Research in Medical Sciences

4

Impact of preoperative clopidogrel administration on perioperative blood loss and transfusion requirements in patients undergoing coronary artery bypass graft surgery

Published: 2014 in Journal of Isfahan Medical School

An evaluation of the efficacy of different doses of ketamine for treatment of catheter-related bladder discomfort in patients underwent urologic surgery: A prospective, randomized, placebo-controlled, double-blind study

Published: 2014 in Urology Annals
DOI: 10.4103/0974-7796.127030

12

Comparing the effects of low doses of propofol, ketamine and combination of propofol-ketamine in prevention of post-extubation coughing and laryngospasm

Published: 2014 in Journal of Isfahan Medical School

The relationship of anthropometric indices and hemodynamic changes after laryngoscopy

Published: 2014 in Journal of Isfahan Medical School

Intravenous dexamethasone vs. ketamine gargle vs. intravenous dexamethasone combined with ketamine gargle for evaluation of postoperative

sore throat and hoarseness: A randomized, placebo-controlled, double-blind clinical trial

Published: 2013 in Journal of Isfahan Medical School

Comparison of effect of intravenous ketamine, peritonsillar infiltration of tramadol and their combination on pediatric post-tonsillectomy pain: A doubleblinded

randomized placebo-controlled clinical trial

Published: 2013 in Research in Pharmaceutical Sciences

11

Comparison of effect of intravenous ketamine, peritonsillar infiltration of tramadol and their combination on pediatric posttonsillectomy pain: A doubleblinded

randomized placebo-controlled clinical trial

Published: 2013 in Research in Pharmaceutical Sciences

The effect of magnesium sulfate on blood pressure and heart rate after electroconvulsive therapy

Published: 2013 in Journal of Isfahan Medical School

Prophylactic administration of haloperidol plus midazolam reduces postoperative nausea and vomiting better than using each drug alone in patients undergoing middle ear surgery

Published: Apr 2012 in Saudi Journal of Anaesthesia

DOI: 10.4103/1658-354X.97028

10

Effect of three different dosages of magnesium sulfate on attenuating hemodynamic responses after electroconvulsive therapy: A randomized, double-blind, placebo-controlled trial

Published: Jan 2012 in Pakistan Journal of Medical Sciences

1

Preincisional analgesia with subcutaneous administration of tramadol reduces postoperative pain in patients after open urologic surgeries: A randomized, double-blind, placebo-controlled study

Published: Jan 2012 in Pakistan Journal of Medical Sciences

3

Effect of erythropoietin on Glasgow Coma Scale and Glasgow Outcome Scale in patient with diffuse axonal injury

Published: 2012 in Journal of Research in Medical Sciences

18

Assessing Intravenous Ketamine and Intravenous Dexamethasone Separately and in Combination for Early Oral Intake, Vomiting and Postoperative Pain Relief in Children Following Tonsillectomy

Published: 2012 in Medical Archives

DOI: 10.5455/MEDARH.2012.66.111-115

Effect of three different dosages of magnesium sulfate on attenuating hemodynamic responses after electroconvulsive therapy:A randomized, double-blind, placebo-controlled trial

Published: 2012 in Pakistan Journal of Medical Sciences

Effects of adding low-dose ketamine to remifentanil-midazolam infusion under

topical anesthesia on pain relief after nasal bone fracture

Published: 2012 in Journal of Isfahan Medical School

Preincisional administration of intravenous or subcutaneous infiltration of lowdose

ketamine suppresses postoperative pain after appendectomy

Published: Dec 2011 in Journal of Pain Research

DOI: 10.2147/JPR.S26476

The analgesic effect of three different doses of nitroglycerine when added to lidocaine for intravenous regional anesthesia in trauma patients

Published: Nov 2011 in Ulusal Travma ve Acil Cerrahi Dergisi

DOI: 10.5505/TJTES.2011.30643

2

Pre-Incisional Analgesia with Intravenous or Subcutaneous Infiltration of Ketamine Reduces Postoperative Pain in Patients after Open Cholecystectomy: A Randomized, Double-Blind, Placebo-Controlled Study

Published: Sep 2011 in Pain Medicine

DOI: 10.1111/J.1526-4637.2011.01205.X

26

The analgesic effect of midazolam when added to lidocaine for intravenous regional anaesthesia

Published: Sep 2011 in Journal of Research in Medical Sciences

21

Gabapentin: An update of its pharmacological properties and therapeutic use in epilepsy

Published: Aug 2011 in Journal of Research in Medical Sciences

25

A comparison of the ratio of patients height to thyromental distance with the modified Mallampati and the upper lip bite test in predicting difficult laryngoscopy

Published: Jul 2011 in Saudi Journal of Anaesthesia

DOI: 10.4103/1658-354X.84098

28

Correlation between micromagnetism and tunnel magneto-resistance in magnetic tunnel junctions using artificial ferrimagnets

Published: May 2011 in Physical Review B

DOI: 10.1103/PHYSREVB.61.580

61

Spinal anesthesia versus general anesthesia for elective lumbar spine surgery: A randomized clinical trial

Published: Apr 2011 in Journal of Research in Medical Sciences

DOI: 10.7176/JHMN/88-04

65

Short-Time Intermittent Preexposure of Living Human Donors to Hyperoxia Improves Renal Function in Early Posttransplant Period: A Double-Blind Randomized Clinical Trial

Published: Jan 2011 in Journal of Transplantation

DOI: 10.1155/2011/204843

6

Post-delivery cardiomyopathy in a patient admitted to critical care unit; a rare case report

Published: 2011

A new system for neuronavigation and stereotactic biopsy pantograph stereotactic localization and guidance system

Published: 2011 in Journal of Surgical Technique and Case Report

DOI: 10.4103/2006-8808.92800

Attenuation of the Pressor Response to Tracheal Intubation in Severe Preeclampsia: Relative Efficacies of Nitroglycerine Infusion, Sublingual Nifedipine, and Intravenous Hydralazine

Published: 2011 in Anesthesiology and Pain Medicine

DOI: 10.5812/KOWSAR.22287523.1782

Attenuation of the pressor response to direct laryngoscopy and tracheal intubation: Oral clonidine vs. oral gabapentin premedication

Published: 2011 in Journal of Research in Medical Sciences

Predisposing factors for serum sodium disturbance in patients with severe traumatic brain injury (SBI)

Published: Dec 2010 in Turkish Journal of Medical Sciences

DOI: 10.3906/SAG-0908-202

2

Effects of intraoperative-intrathecal sufentanil injection on postoperative pain management after single level lumbar discectomy

Published: 2010 in Middle East Journal of Anesthesiology

The use of infection probability score and sequential organ failure assessment scoring systems in predicting mechanical ventilation requirement and duration

Published: Sep 2009 in Ulusal Travma ve Acil Cerrahi Dergisi

5

Pre-incisional infiltration of tonsils with dexamethasone dose not reduce posttonsillectomy vomiting and pain in children

Published: Jul 2009 in Saudi Journal of Anaesthesia

DOI: 10.4103/1658-354X.57874

9

Postoperative analgesic and adverse effects of two low doses of intrathecal neostigmine and its influence on spinal bupivacaine anaesthesia after knee arthroscopy

Published: Mar 2009 in Acute Pain

DOI: 10.1016/J.ACPAIN.2008.10.001

The association of microalbuminuria and duration of mechanical ventilation in critically ill trauma patients

Published: Jan 2009 in Ulusal Travma ve Acil Cerrahi Dergisi

5

A comparison of different doses of remifentanil and tracheal lidocaine on attenuation of cardiovascular responses to laryngoscopy and tracheal intubation

Published: 2009 in Turkish Journal of Medical Sciences

DOI: 10.3906/SAG-0801-19

2

The impact of admission hyperglycemia or hypoalbuminemia on need ventilator, time ventilated, mortality, and morbidity in critically ill trauma patients

Published: 2009 in *Ulusal Travma ve Acil Cerrahi Dergisi*

10

The comparability of Second dose Thiopental with Lidocaine in The attenuation of Cardiovascular response to Endotracheal intubation

Published: 2009 in *International Cardiovascular Research Journal*

0

Low dose intravenous midazolam for prevention of ponv, in lower abdominal surgery

Published: 2009 in *Middle East Journal of Anesthesiology*

Comparison of prophylactic use of midazolam, ketamine, and ketamine plus midazolam for prevention of shivering during regional anaesthesia: a randomized double-blind placebo controlled trial

Published: Oct 2008 in *British Journal of Anaesthesia*

DOI: 10.1093/BJA/AEN205

46

Do C-reactive protein and body mass index predict duration of mechanical ventilation in critically ill trauma patients?

Published: Oct 2008 in *Ulusal Travma ve Acil Cerrahi Dergisi*

3

Prediction of difficult laryngoscopy in obstetric patients scheduled for Caesarean delivery

Published: Sep 2008 in *European Journal of Anaesthesiology*

DOI: 10.1017/S026502150800433X

24

Prediction of arterial blood gas values from arterialized earlobe blood gas values in patients treated with mechanical ventilation

Published: Sep 2008 in *Indian Journal of Critical Care Medicine*

DOI: 10.4103/0972-5229.43677

16

The preventative analgesic effect of preincisional peritonsillar infiltration of two low doses of ketamine for postoperative pain relief in children following adenotonsillectomy. A randomized, double-blind, placebo-controlled study

Published: Jun 2008 in *Pediatric Anesthesia*

DOI: 10.1111/J.1460-9592.2008.02461.X

38

Tracheal intubation without muscle relaxants: a randomized study of remifentanyl or alfentanil in combination with thiopental

Published: Mar 2008 in *Annals of Saudi Medicine*

DOI: 10.5144/0256-4947.2008.89

7

Magnesium sulphate pretreatment to alleviate pain on propofol injection: A comparison with ketamine or lidocaine

Published: Mar 2008 in *Acute Pain*

DOI: 10.1016/J.ACPAIN.2008.01.001

Prevention of propofol-induced injection pain by sufentanil - A placebocontrolled

comparison with remifentanil

Published: Jan 2008 in Clinical Drug Investigation

DOI: 10.2165/00044011-200828010-00004

11

Beclomethasone inhaler versus intravenous lidocaine in the prevention of postoperative airway and throat complaints: a randomized, controlled trial

Published: Jan 2008 in Annals of Saudi Medicine

DOI: 10.5144/0256-4947.2008.11

19

The new Injury Severity Score: a more accurate predictor of need ventilator and time ventilated in trauma patients than the Injury Severity Score

Published: 2008 in Ulusal Travma ve Acil Cerrahi Dergisi

7

The Cardiovascular Changes Induced by Inspired Oxygen Fraction in Patients Undergoing on-pump Coronary Artery Surgery

Published: 2008 in International Cardiovascular Research Journal

0

Adding magnesium to lidocaine for intravenous regional anesthesia

Published: 2008 in Journal of Research in Medical Sciences

DOI: 10.1097/00003643-200406002-00370

4

Attenuation of cardiovascular responses to laryngoscopy and tracheal intubation-Intravenous sufentanil vs pethidine

Published: 2008 in Middle East Journal of Anesthesiology

Intra-operative ketamine infiltration in tonsillar bed for relief of posttonsillectomy pain

Published: 2008 in Tehran University Medical Journal

Postoperative analgesia after caesarean section: Intermittent intramuscular versus subcutaneous morphine boluses

Published: Dec 2007 in Acute Pain

DOI: 10.1016/J.ACPAIN.2007.08.023

Comparison of Infection Probability Score, APACHE II, and APACHE III scoring systems in predicting need for ventilator and ventilation duration in critically ill patients

Published: Jul 2007 in Archives of Iranian Medicine

9

Preoperative oral dextromethorphan vs. clonidine to prevent tourniquet-induced cardiovascular responses in orthopaedic patients under general anaesthesia

Published: Jun 2007 in European Journal of Anaesthesiology

DOI: 10.1017/S0265021506002055

8

Pre-emptive gabapentin significantly reduces postoperative pain and morphine demand following lower extremity orthopaedic surgery

Published: 2007 in Singapore Medical Journal

A Comparative Effect of Intravenous Pethidine vs Sufentanil on Attenuation of Cardiovascular Responses to Laryngoscopy and Tracheal Intubation: a Randomized Double-Blind Placebo Controlled Trial Study

Published: 2007 in International Cardiovascular Research Journal

0

Influence of head flexion on intraocular pressure, cardiovascular, and respiratory responses in patients undergoing cataract surgery after endotracheal intubation

Published: 2007 in International Cardiovascular Research Journal

0

Admission hypomagnesemia -Impact on mortality or morbidity in critically ill patients -

Published: 2007 in Middle East Journal of Anesthesiology

Comparison of effects of thiopental, propofol or ketamine on the cardiovascular responses of the oculocardiac reflex during strabismus surgery

Published: 2007 in Journal of Research in Medical Sciences

Comparative effects of different anesthetic regimens on the oculocardiac reflex

Published: 2007 in International Cardiovascular Research Journal

0

The new injury severity score: A more accurate predictor of need ventilator and time ventilated in trauma patients than the injury severity score

Published: Oct 2006 in Indian Journal of Critical Care Medicine

DOI: 10.4103/0972-5229.29839

1

Effect of preextubation intravenous betamethasone on postoperative antiemetic and analgesic requirement after laparoscopic surgery

Published: Jun 2004 in European Journal of Anaesthesiology

DOI: 10.1097/00003643-200406002-00706

0

Effect of oral dextromethorphan premedication on the intraoperative morphine requirement

Published: Jun 2004 in European Journal of Anaesthesiology

DOI: 10.1097/00003643-200406002-00674

0

TEACHING EXPERIENCE

Dates, Title, University/organization, Course/s taught, description of duties

22 years since 2000

RELEVANT WORK EXPERIENCE

Dates, Title, University/organization, Description **22 years since 2000 in Anesthesiology**

UNIVERSITY SERVICE

Dates, University/organization, Descriptionsince 2000 in Department of Anesthesiology of Isfahan University of Medical Sciences

PUBLICATIONS

Bibliographic format

Comparison of Intraperitoneal Versus Intravenous Dexamethasone on

Postoperative Pain, Nausea, and Vomiting After Laparoscopic Cholecystectomy

Published: Apr 2022 in Anesthesiology and Pain Medicine
DOI: 10.5812/AAPM-122203

Comparison of airway assessment tests for prediction of difficult intubation in obese patients: importance of thyromental height and upper lip bite test

Published: Mar 2022 in Minerva Anestesiologica
DOI: 10.23736/S0375-9393.21.15764-5

0

(30) Journal of Isfahan Medical School (11) Journal of Research in Medical Sciences (7) Journal of Research in Pharmacy Practice (7) European Journal of Anaesthesiology (6) Ulusal Travma ve Acil Cerrahi Dergisi (5) International Cardiovascular Research Journal (4) Anesthesiology and Pain Medicine (4) Middle East Journal of Anesthesiology (3) Pakistan Journal of Medical Sciences (3) Saudi Journal of Anaesthesia (3) Acute Pain (2) Turkish Journal of Medical Sciences (2) Indian Journal of Critical Care Medicine (2) Research in Pharmaceutical Sciences (2) Annals of Saudi Medicine (2) Advanced Biomedical Research (1) Physical Review B (1) Pain Medicine (1) Singapore Medical Journal (1) Journal of Transplantation (1) British Journal of Anaesthesia (1) Pediatric Anesthesia (1) Urology Annals (1) Clinical Drug Investigation (1) Archives of Iranian Medicine (1) Turkish Journal of Anaesthesiology and Reanimation (1) Minerva Anestesiologica (1) International Journal of Preventive Medicine (1) Immunopathologia Persa (1) Koomesh (1) Scientific Journal of Kurdistan University of Medical Sciences (1) Medical Archives (1) Perioperative Care and Operating Room Management (1) Journal of Pediatric Urology (1) Tehran University Medical Journal (1) Journal of Surgical Technique and Case Report (1) Journal of Pain Research

A comparison of disk diffusion method and E-test in determining the susceptibility and resistance of Klebsiella and Acinetobacter strains to cefepime in patients with ventilator-associated pneumonia admitted to the intensive care unit

Published: Feb 2022 in Immunopathologia Persa
DOI: 10.34172/IPP.2022.30330

The effect of caudal epidural block on the surgical complications of hypospadias repair in children aged 6 to 35 months: A randomized controlled trial

Published: Feb 2022 in Journal of Pediatric Urology
DOI: 10.1016/J.JPUROL.2021.11.009

Evaluation of Plasma Fibrinogen Levels before and after Coronary Artery Bypass Graft Surgery and Its Association with the Need for Blood Products

Published: Jan 2022 in Advanced Biomedical Research
DOI: 10.4103/ABR.ABR_22_21

0

The effect of a flexible family visit on nausea, vomiting, pain and physiological parameters after laparoscopic cholecystectomy in post-anesthesia care unit: A randomized controlled trial

Published: Dec 2021 in Perioperative Care and Operating Room Management
DOI: 10.1016/J.PCORM.2021.100222

An Evaluation of the Online Quality of Content of United States Accredited Pain Medicine Fellowship Training Programs

Published: Jun 2021 in Anesthesiology and Pain Medicine
DOI: 10.5812/AAPM.115981

A Comparative Study of Valsalva Maneuver, Lidocaine, and Valsalva

Maneuvers with Administration of Lidocaine to Reduce the Pain Associated with Administration of Etomidate During General Anesthesia

Published: Jun 2021 in Anesthesiology and Pain Medicine

DOI: 10.5812/AAPM.113408

Comparison Prophylactic Effects of Gargling Different Doses of Ketamine on Attenuating Postoperative Sore Throat: A Single-Blind Randomized Controlled Trial

Published: Jan 2021 in International Journal of Preventive Medicine

DOI: 10.4103/IJPVM.IJPVM_147_19

0

Comparison of hemodynamic changes and serum potassium levels in the use of succinylcholine and cisatracurium in electroconvulsive therapy

Published: 2021 in Journal of Research in Medical Sciences

DOI: 10.4103/JRMS.JRMS_951_19

Anaesthetic Management of a Known Case of Werner Syndrome by Peripheral Nerve Block in the Orthopaedic Surgery of Forearm

Published: Jun 2020 in Turkish Journal of Anaesthesiology and Reanimation

DOI: 10.5152/TJAR.2020.93902

0

How to predict difficult tracheal intubation: The application of acromio-axillosuprasternal notch index

Published: May 2020 in Advanced Biomedical Research

DOI: 10.4103/ABR.ABR_228_19

1

Comparing the prophylactic effects of oral gabapentin, pregabalin, and celecoxib on postoperative pain management in orthopedic surgery of the lower extremity: A double-blind randomized controlled trial

Published: Jan 2020 in Journal of Research in Medical Sciences

DOI: 10.4103/JRMS.JRMS_140_19

6

Effects of adding dexmedetomidine to ketamine on heart rate and blood pressure changes in psychiatric patients undergoing electroconvulsive therapy

Published: 2020 in Koomesh

The effect of adding dexmedetomidine on change in heart rate and blood pressure after induction of anesthesia with thiopental sodium in electroconvulsive therapy; A randomized clinical trial study

Published: 2020 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V38I579.13041

Comparison of the acromio-axillosuprasternal notch index with five anatomical indices for the prediction of difficult laryngoscopy and intubation

Published: Jul 2019 in European Journal of Anaesthesiology

DOI: 10.1097/EJA.0000000000001000

0

Comparison of the effect of thiopental sodium-midazolam combination on the hemodynamic response between tracheal intubation and laryngeal mask airway insertion: A clinical trial study

Published: Jun 2019 in Scientific Journal of Kurdistan University of Medical Sciences

DOI: 10.29252/SJKU.24.2.99

Comparison of the effect of dexamethasone, midazolam, and ondansetron injection alone, or in combination, and placebo on the severity of shivering during and after spinal anesthesia in orthopedic operations of the lower limb

Published: 2019 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V37I518.10948

A comparative study of predicting difficult intubation by six indexes of thyromental height (TMH), acromioaxillary-suprasternal notch index (AASI), modified mallampati test (MMT), upper lip biting test (ULBT), height to thyromental distance ratio (RHTMD), and neck circumference to thyromental height ratio (NC/TMH) in patients undergoing general anesthesia

Published: 2019 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V37I517.11119

Comparison of the performance of acromioaxillosuprasternal notch index with old method of anatomical measurement of head and neck in predicting laryngoscopy forecasting problems in pediatrics surgical procedures requiring tracheal intubation under general anesthesia

Published: 2019 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V37I514.10956

Evaluation and comparison of the effects of intravenous lidocaine versus alkalinized intracuff lidocaine on coughing and postoperative sore throat

Published: 2019 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V36I510.10699

Preventive effect of different doses of tramadol on postoperative shivering during and after lower limb orthopedic surgery under spinal anesthesia as compared to control group

Published: 2018 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V36I489.9908

The preemptive effect of magnesium sulfate gargle, ketamine gargle or dexamethasone intravenous injection on sore throat following surgery in patients undergoing surgery with general anesthesia

Published: 2018 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V36I497.10141

Comparing the effect of sodium thiopental, magnesium sulfate, midazolam, prime etomidate, and remifentanil on myoclonus incidence and pain induced by anesthesia with etomidate

Published: 2018 in Journal of Isfahan Medical School

The effect of using topical lidocaine on blade and cuff of laryngoscope, and tracheal mucosa on changes of heart rate and blood pressure during laryngoscopy and intubation

Published: 2017 in Journal of Isfahan Medical School

Comparison of the effects of remifentanyl-propofol and remifentanylisoflurane on hemodynamic variables, blood gases, and blood glucose among patients under general anesthesia

Published: 2017 in Journal of Isfahan Medical School

The effect of labetalol or remifentanil on blood pressure and heart rate after laryngoscopy and intubation

Published: 2017 in Journal of Isfahan Medical School

The effects of three different doses of sufentanil on changes in blood pressure

and heart rate after laryngoscopy and intubation, and comparison with the control group

Published: 2017 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V37I556.12203

Association of mean arterial pressure during cardiopulmonary pump and incidence of delirium after coronary artery bypass graft surgery

Published: 2017 in Journal of Isfahan Medical School

The effect of intravenous hydrocortisone (1 or 2 mg/kg) on postoperative shivering in cesarean section with spinal anesthesia

Published: 2017 in Journal of Isfahan Medical School

Comparison study of preemptive effect of intratechal fentanyl with intravenous ondansetron, dexamethasone, and dexamethasone plus ondansetron on shivering during surgeries under spinal anesthesia with bupivacaine

Published: 2017 in Journal of Isfahan Medical School

The efficacy of different doses of liquorice gargling for attenuating postoperative sore throat and cough after tracheal intubation

Published: Aug 2016 in European Journal of Anaesthesiology

DOI: 10.1097/EJA.0000000000000400

6

Acromio-axillo-suprasternal notch index: a new screening test to predict difficult laryngoscopy in obstetric patients scheduled for caesarean delivery

Published: Aug 2016 in European Journal of Anaesthesiology

DOI: 10.1097/EJA.0000000000000437

2

A Comparison on the Preventive Effect of 100 mg and 200 mg Oral Celecoxib on shivering during and after orthopedic lower extremity surgery under the spinal anesthesia; A randomized controlled clinical trial study

Published: 2016 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V38I564.10988

The evaluation of effects two different doses of hydrocortisone on the intensity of perioperative shivering in elective surgery under spinal anesthesia: A double-blind randomized controlled trial study

Published: 2016 in Journal of Research in Medical Sciences

DOI: 10.4103/1735-1995.183993

1

Prophylactic antiemetic effects of Midazolam, Ondansetron, and their combination after middle ear surgery

Published: 2016 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.176556

5

Prophylactic antiemetic effects of midazolam, ondansetron and their combination after middle ear surgery

Published: 2016 in Journal of Isfahan Medical School

Comparing “acromio-axillo-suprasternal notch index (AASI)” as a new screening test for predicting difficult laryngoscopy with four commonly used tests

Published: 2016 in Journal of Isfahan Medical School

Evaluation of the relationship between serum level of selenium at arrival to intensive care unit with duration of mechanical ventilation, mortality and inflammatory factors in multiple trauma patients

Published: 2016 in Journal of Isfahan Medical School

Evaluation of prophylactic injection of two doses of tramadol on heart rate and blood pressure changes compared with control group after laryngoscopy and intubation

Published: 2016 in Journal of Isfahan Medical School

Evaluating the relationship of serum level of magnesium at arrival to intensive care unit and mortality rate and inflammatory factors in patients with multiple trauma

Published: 2016 in Journal of Isfahan Medical School

Comparative evaluation of the effects of different doses of labetalol on cardiovascular response to tracheal intubation

Published: 2016 in Journal of Isfahan Medical School

Evaluating the prophylactic effect of magnesium sulfate and combination of midazolam and ketamine for prevention of shivering during regional anaesthesia

Published: 2016 in Journal of Isfahan Medical School

Evaluating the effect of various doses of magnesium sulfate on cardiovascular changing and stimulating due to laryngoscopes and intubation

Published: 2015 in Journal of Isfahan Medical School

The efficacy of different doses of Midazolam added to Lidocaine for upper extremity Bier block on the sensory and motor block characteristics and postoperative pain

Published: 2015 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.162359

4

The comparative study of intravenous Ondansetron and sub-hypnotic Propofol dose in control and treatment of intrathecal Sufentanil-induced pruritus in elective caesarean surgery

Published: 2015 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.155751

2

Different doses of intravenous Magnesium sulfate on cardiovascular changes following the laryngoscopy and tracheal intubation: A double-blind randomized controlled trial

Published: 2015 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.154365

12

Magnesium sulfate versus Lidocaine pretreatment for prevention of pain on etomidate injection: A randomized, double-blinded placebo controlled trial

Published: 2015 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.150044

4

Intrathecal Meperidine versus intrathecal Fentanyl for prevention of shivering in lower limb orthopedic surgeries under spinal anesthesia: A randomized

double-blind placebo-controlled trial

Published: Oct 2014 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.145390

5

Prophylactic effects of intrathecal Meperidine and intravenous Ondansetron on shivering in patients undergoing lower extremity orthopedic surgery under spinal anesthesia

Published: Jul 2014 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.141105

19

A randomized controlled trial for the effectiveness of intraarticular versus intravenous midazolam on pain after knee arthroscopy

Published: May 2014 in Journal of Research in Medical Sciences

4

Impact of preoperative clopidogrel administration on perioperative blood loss and transfusion requirements in patients undergoing coronary artery bypass graft surgery

Published: 2014 in Journal of Isfahan Medical School

An evaluation of the efficacy of different doses of ketamine for treatment of catheter-related bladder discomfort in patients underwent urologic surgery: A prospective, randomized, placebo-controlled, double-blind study

Published: 2014 in Urology Annals

DOI: 10.4103/0974-7796.127030

12

Comparing the effects of low doses of propofol, ketamine and combination of propofol-ketamine in prevention of post-extubation coughing and laryngospasm

Published: 2014 in Journal of Isfahan Medical School

The relationship of anthropometric indices and hemodynamic changes after laryngoscopy

Published: 2014 in Journal of Isfahan Medical School

Intravenous dexamethasone vs. ketamine gargle vs. intravenous dexamethasone combined with ketamine gargle for evaluation of postoperative sore throat and hoarseness: A randomized, placebo-controlled, double-blind clinical trial

Published: 2013 in Journal of Isfahan Medical School

Comparison of effect of intravenous ketamine, peritonsillar infiltration of tramadol and their combination on pediatric post-tonsillectomy pain: A doubleblinded

randomized placebo-controlled clinical trial

Published: 2013 in Research in Pharmaceutical Sciences

11

Comparison of effect of intravenous ketamine, peritonsillar infiltration of tramadol and their combination on pediatric posttonsillectomy pain: A doubleblinded

randomized placebo-controlled clinical trial

Published: 2013 in Research in Pharmaceutical Sciences

The effect of magnesium sulfate on blood pressure and heart rate after electroconvulsive therapy

Published: 2013 in Journal of Isfahan Medical School

Prophylactic administration of haloperidol plus midazolam reduces postoperative nausea and vomiting better than using each drug alone in patients undergoing middle ear surgery

Published: Apr 2012 in Saudi Journal of Anaesthesia

DOI: 10.4103/1658-354X.97028

10

Effect of three different dosages of magnesium sulfate on attenuating hemodynamic responses after electroconvulsive therapy: A randomized, double-blind, placebo-controlled trial

Published: Jan 2012 in Pakistan Journal of Medical Sciences

1

Preincisional analgesia with subcutaneous administration of tramadol reduces postoperative pain in patients after open urologic surgeries: A randomized, double-blind, placebo-controlled study

Published: Jan 2012 in Pakistan Journal of Medical Sciences

3

Effect of erythropoietin on Glasgow Coma Scale and Glasgow Outcome Scale in patient with diffuse axonal injury

Published: 2012 in Journal of Research in Medical Sciences

18

Assessing Intravenous Ketamine and Intravenous Dexamethasone Separately and in Combination for Early Oral Intake, Vomiting and Postoperative Pain Relief in Children Following Tonsillectomy

Published: 2012 in Medical Archives

DOI: 10.5455/MEDARH.2012.66.111-115

Effect of three different dosages of magnesium sulfate on attenuating hemodynamic responses after electroconvulsive therapy: A randomized, double-blind, placebo-controlled trial

Published: 2012 in Pakistan Journal of Medical Sciences

Effects of adding low-dose ketamine to remifentanyl-midazolam infusion under topical anesthesia on pain relief after nasal bone fracture

Published: 2012 in Journal of Isfahan Medical School

Preincisional administration of intravenous or subcutaneous infiltration of lowdose

ketamine suppresses postoperative pain after appendectomy

Published: Dec 2011 in Journal of Pain Research

DOI: 10.2147/JPR.S26476

The analgesic effect of three different doses of nitroglycerine when added to lidocaine for intravenous regional anesthesia in trauma patients

Published: Nov 2011 in Ulusal Travma ve Acil Cerrahi Dergisi

DOI: 10.5505/TJTES.2011.30643

2

Pre-Incisional Analgesia with Intravenous or Subcutaneous Infiltration of Ketamine Reduces Postoperative Pain in Patients after Open

Cholecystectomy: A Randomized, Double-Blind, Placebo-Controlled Study

Published: Sep 2011 in Pain Medicine
DOI: 10.1111/J.1526-4637.2011.01205.X

26

The analgesic effect of midazolam when added to lidocaine for intravenous regional anaesthesia

Published: Sep 2011 in Journal of Research in Medical Sciences

21

Gabapentin: An update of its pharmacological properties and therapeutic use in epilepsy

Published: Aug 2011 in Journal of Research in Medical Sciences

25

A comparison of the ratio of patients height to thyromental distance with the modified Mallampati and the upper lip bite test in predicting difficult laryngoscopy

Published: Jul 2011 in Saudi Journal of Anaesthesia
DOI: 10.4103/1658-354X.84098

28

Correlation between micromagnetism and tunnel magneto-resistance in magnetic tunnel junctions using artificial ferrimagnets

Published: May 2011 in Physical Review B
DOI: 10.1103/PHYSREVB.61.580

61

Spinal anesthesia versus general anesthesia for elective lumbar spine surgery: A randomized clinical trial

Published: Apr 2011 in Journal of Research in Medical Sciences
DOI: 10.7176/JHMN/88-04

65

Short-Time Intermittent Preexposure of Living Human Donors to Hyperoxia Improves Renal Function in Early Posttransplant Period: A Double-Blind Randomized Clinical Trial

Published: Jan 2011 in Journal of Transplantation
DOI: 10.1155/2011/204843

6

Post-delivery cardiomyopathy in a patient admitted to critical care unit; a rare case report

Published: 2011

A new system for neuronavigation and stereotactic biopsy pantograph stereotactic localization and guidance system

Published: 2011 in Journal of Surgical Technique and Case Report
DOI: 10.4103/2006-8808.92800

Attenuation of the Pressor Response to Tracheal Intubation in Severe Preeclampsia: Relative Efficacies of Nitroglycerine Infusion, Sublingual Nifedipine, and Intravenous Hydralazine

Published: 2011 in Anesthesiology and Pain Medicine
DOI: 10.5812/KOWSAR.22287523.1782

Attenuation of the pressor response to direct laryngoscopy and tracheal intubation: Oral clonidine vs. oral gabapentin premedication

Published: 2011 in Journal of Research in Medical Sciences

Predisposing factors for serum sodium disturbance in patients with severe traumatic brain injury (SBI)

Published: Dec 2010 in Turkish Journal of Medical Sciences

DOI: 10.3906/SAG-0908-202

2

Effects of intraoperative-intrathecal sufentanil injection on postoperative pain management after single level lumbar discectomy

Published: 2010 in Middle East Journal of Anesthesiology

The use of infection probability score and sequential organ failure assessment scoring systems in predicting mechanical ventilation requirement and duration

Published: Sep 2009 in Ulusal Travma ve Acil Cerrahi Dergisi

5

Pre-incisional infiltration of tonsils with dexamethasone dose not reduce posttonsillectomy vomiting and pain in children

Published: Jul 2009 in Saudi Journal of Anaesthesia

DOI: 10.4103/1658-354X.57874

9

Postoperative analgesic and adverse effects of two low doses of intrathecal neostigmine and its influence on spinal bupivacaine anaesthesia after knee arthroscopy

Published: Mar 2009 in Acute Pain

DOI: 10.1016/J.ACPAIN.2008.10.001

The association of microalbuminuria and duration of mechanical ventilation in critically ill trauma patients

Published: Jan 2009 in Ulusal Travma ve Acil Cerrahi Dergisi

5

A comparison of different doses of remifentanyl and tracheal lidocaine on attenuation of cardiovascular responses to laryngoscopy and tracheal intubation

Published: 2009 in Turkish Journal of Medical Sciences

DOI: 10.3906/SAG-0801-19

2

The impact of admission hyperglycemia or hypoalbuminemia on need ventilator, time ventilated, mortality, and morbidity in critically ill trauma patients

Published: 2009 in Ulusal Travma ve Acil Cerrahi Dergisi

10

The comparability of Second dose Thiopental with Lidocaine in The attenuation of Cardiovascular response to Endotracheal intubation

Published: 2009 in International Cardiovascular Research Journal

0

Low dose intravenous midazolam for prevention of PONV, in lower abdominal surgery

Published: 2009 in Middle East Journal of Anesthesiology

Comparison of prophylactic use of midazolam, ketamine, and ketamine plus

midazolam for prevention of shivering during regional anaesthesia: a randomized double-blind placebo controlled trial

Published: Oct 2008 in British Journal of Anaesthesia
DOI: 10.1093/BJA/AEN205

46

Do C-reactive protein and body mass index predict duration of mechanical ventilation in critically ill trauma patients?

Published: Oct 2008 in Ulusal Travma ve Acil Cerrahi Dergisi

3

Prediction of difficult laryngoscopy in obstetric patients scheduled for Caesarean delivery

Published: Sep 2008 in European Journal of Anaesthesiology
DOI: 10.1017/S026502150800433X

24

Prediction of arterial blood gas values from arterialized earlobe blood gas values in patients treated with mechanical ventilation

Published: Sep 2008 in Indian Journal of Critical Care Medicine
DOI: 10.4103/0972-5229.43677

16

The preventative analgesic effect of preincisional peritonsillar infiltration of two low doses of ketamine for postoperative pain relief in children following adenotonsillectomy. A randomized, double-blind, placebo-controlled study

Published: Jun 2008 in Pediatric Anesthesia
DOI: 10.1111/J.1460-9592.2008.02461.X

38

Tracheal intubation without muscle relaxants: a randomized study of remifentanyl or alfentanil in combination with thiopental

Published: Mar 2008 in Annals of Saudi Medicine
DOI: 10.5144/0256-4947.2008.89

7

Magnesium sulphate pretreatment to alleviate pain on propofol injection: A comparison with ketamine or lidocaine

Published: Mar 2008 in Acute Pain
DOI: 10.1016/J.ACPAIN.2008.01.001

Prevention of propofol-induced injection pain by sufentanil - A placebocontrolled comparison with remifentanyl

Published: Jan 2008 in Clinical Drug Investigation
DOI: 10.2165/00044011-200828010-00004

11

Beclomethasone inhaler versus intravenous lidocaine in the prevention of postoperative airway and throat complaints: a randomized, controlled trial

Published: Jan 2008 in Annals of Saudi Medicine
DOI: 10.5144/0256-4947.2008.11

19

The new Injury Severity Score: a more accurate predictor of need ventilator and time ventilated in trauma patients than the Injury Severity Score

Published: 2008 in Ulusal Travma ve Acil Cerrahi Dergisi

7

The Cardiovascular Changes Induced by Inspired Oxygen Fraction in Patients Undergoing on-pump Coronary Artery Surgery

Published: 2008 in International Cardiovascular Research Journal

0

Adding magnesium to lidocaine for intravenous regional anesthesia

Published: 2008 in Journal of Research in Medical Sciences

DOI: 10.1097/00003643-200406002-00370

4

Attenuation of cardiovascular responses to laryngoscopy and tracheal intubation-Intravenous sufentanil vs pethidine

Published: 2008 in Middle East Journal of Anesthesiology

Intra-operative ketamine infiltration in tonsillar bed for relief of posttonsillectomy pain

Published: 2008 in Tehran University Medical Journal

Postoperative analgesia after caesarean section: Intermittent intramuscular versus subcutaneous morphine boluses

Published: Dec 2007 in Acute Pain

DOI: 10.1016/J.ACPAIN.2007.08.023

Comparison of Infection Probability Score, APACHE II, and APACHE III scoring systems in predicting need for ventilator and ventilation duration in critically ill patients

Published: Jul 2007 in Archives of Iranian Medicine

9

Preoperative oral dextromethorphan vs. clonidine to prevent tourniquet-induced cardiovascular responses in orthopaedic patients under general anaesthesia

Published: Jun 2007 in European Journal of Anaesthesiology

DOI: 10.1017/S0265021506002055

8

Pre-emptive gabapentin significantly reduces postoperative pain and morphine demand following lower extremity orthopaedic surgery

Published: 2007 in Singapore Medical Journal

A Comparative Effect of Intravenous Pethidine vs Sufentanil on Attenuation of Cardiovascular Responses to Laryngoscopy and Tracheal Intubation: a Randomized Double-Blind Placebo Controlled Trial Study

Published: 2007 in International Cardiovascular Research Journal

0

Influence of head flexion on intraocular pressure, cardiovascular, and respiratory responses in patients undergoing cataract surgery after endotracheal intubation

Published: 2007 in International Cardiovascular Research Journal

0

Admission hypomagnesemia -Impact on mortality or morbidity in critically ill patients -

Published: 2007 in Middle East Journal of Anesthesiology

Comparison of effects of thiopental, propofol or ketamine on the cardiovascular responses of the oculocardiac reflex during strabismus surgery

Published: 2007 in Journal of Research in Medical Sciences

Comparative effects of different anesthetic regimens on the oculocardiac reflex

Published: 2007 in International Cardiovascular Research Journal

0

The new injury severity score: A more accurate predictor of need ventilator and time ventilated in trauma patients than the injury severity score

Published: Oct 2006 in Indian Journal of Critical Care Medicine

DOI: 10.4103/0972-5229.29839

1

Effect of preextubation intravenous betamethasone on postoperative antiemetic and analgesic requirement after laparoscopic surgery

Published: Jun 2004 in European Journal of Anaesthesiology

DOI: 10.1097/00003643-200406002-00706

0

Effect of oral dextromethorphan premedication on the intraoperative morphine requirement

Published: Jun 2004 in European Journal of Anaesthesiology

DOI: 10.1097/00003643-200406002-00674

0

PRESENTATIONS AND POSTER SESSIONS

Bibliographic format

-Presentation and Poster session in Isfahan congress of Anesthesiology in 2000

- Presentation and Poster session in Tehran congress of Anesthesiology in 2005

- Presentation and Poster session in Tabriz congress of Anesthesiology in 2008

PATENTS

Date, Item, number

RESEARCH INTERESTS

Research area

Anesthesiology-Critical Care- Pain

TEACHING INTERESTS

Class title or subject

Anesthesiology-Critical Care- Pain

PROFESSIONAL MEMBERSHIPS

Date, Title, association

EXTRA CURRICULAR ACTIVITIES

Name: Azim Honarmand

Address **Isfahan- Sofea Street- Alzahra Hospital- Office of Anesthesiology and Critical Care**

Telephone 00989131102327

Email honarmand@med.mui.ac.ir

Academic Qualifications

Most recent

Date, Degree, Full Professor

University/School, Isfahan University of Medical Sciences

Dissertation title

- Comparison of Intraperitoneal Versus Intravenous Dexamethasone on Postoperative Pain, Nausea, and Vomiting After Laparoscopic Cholecystectomy
- Comparison of airway assessment tests for prediction of difficult intubation in obese patients: importance of thyromental height and upper lip bite test
- A comparison of disk diffusion method and E-test in determining the susceptibility and resistance of Klebsiella and Acinetobacter strains to cefepime in patients with ventilator-associated pneumonia admitted to the intensive care unit
- The effect of caudal epidural block on the surgical complications of hypospadias repair in children aged 6 to 35 months: A randomized controlled trial
- Evaluation of Plasma Fibrinogen Levels before and after Coronary Artery Bypass Graft Surgery and Its Association with the Need for Blood Products
- The effect of a flexible family visit on nausea, vomiting, pain and physiological parameters after laparoscopic cholecystectomy in post-anesthesia care unit: A randomized controlled trial
- An Evaluation of the Online Quality of Content of United States Accredited Pain Medicine Fellowship Training Programs
- A Comparative Study of Valsalva Maneuver, Lidocaine, and Valsalva Maneuvers with Administration of Lidocaine to Reduce the Pain Associated with Administration of Etomidate During General Anesthesia
- Comparison Prophylactic Effects of Gargling Different Doses of Ketamine on Attenuating Postoperative Sore Throat: A Single-Blind Randomized Controlled Trial
- Comparison of hemodynamic changes and serum potassium levels in the use of succinylcholine and cisatracurium in electroconvulsive therapy
- Anaesthetic Management of a Known Case of Werner Syndrome by Peripheral Nerve Block in the Orthopaedic Surgery of Forearm

- How to predict difficult tracheal intubation: The application of acromio-axillosuprasternal notch index
- Comparing the prophylactic effects of oral gabapentin, pregabalin, and celecoxib on postoperative pain management in orthopedic surgery of the lower extremity: A double-blind randomized controlled trial
- Effects of adding dexmedetomidine to ketamine on heart rate and blood pressure changes in psychiatric patients undergoing electroconvulsive therapy
- The effect of adding dexmedetomidine on change in heart rate and blood pressure after induction of anesthesia with thiopental sodium in electroconvulsive therapy; A randomized clinical trial study
- Comparison of the acromio-axillosuprasternal notch index with five anatomical indices for the prediction of difficult laryngoscopy and intubation
- Comparison of the effect of thiopental sodium-midazolam combination on the hemodynamic response between tracheal intubation and laryngeal mask airway insertion: A clinical trial study
- Comparison of the effect of dexamethasone, midazolam, and ondansetron injection alone, or in combination, and placebo on the severity of shivering during and after spinal anesthesia in orthopedic operations of the lower limb
- A comparative study of predicting difficult intubation by six indexes of thyromental height (TMH), acromioaxillary-suprasternal notch index (AASI), modified mallampati test (MMT), upper lip biting test (ULBT), height to thyromental distance ratio (RHTMD), and neck circumference to thyromental height ratio (NC/TMH) in patients undergoing general anesthesia
- Comparison of the performance of acromioaxillosuprasternal notch index with old method of anatomical measurement of head and neck in predicting laryngoscopy forecasting problems in pediatrics surgical procedures requiring tracheal intubation under general anesthesia
- Evaluation and comparison of the effects of intravenous lidocaine versus alkalinized intracuff lidocaine on coughing and postoperative sore throat
- Preventive effect of different doses of tramadol on postoperative shivering during and after lower limb orthopedic surgery under spinal anesthesia as compared to control group
- The preemptive effect of magnesium sulfate gargle, ketamine gargle or dexamethasone intravenous injection on sore throat following surgery in patients undergoing surgery with general anesthesia
- Comparing the effect of sodium thiopental, magnesium sulfate, midazolam, prime etomidate, and remifentanyl on myoclonus incidence and pain induced by anesthesia with etomidate
- The effect of using topical lidocaine on blade and cuff of laryngoscope, and

tracheal mucosa on changes of heart rate and blood pressure during laryngoscopy and intubation

-Comparison of the effects of remifentanyl-propofol and remifentanylisoflurane on hemodynamic variables, blood gases, and blood glucose among patients under general anesthesia

-The effect of labetalol or remifentanil on blood pressure and heart rate after laryngoscopy and intubation

-The effects of three different doses of sufentanil on changes in blood pressure and heart rate after laryngoscopy and intubation, and comparison with the control group

-Association of mean arterial pressure during cardiopulmonary pump and incidence of delirium after coronary artery bypass graft surgery

-The effect of intravenous hydrocortisone (1 or 2 mg/kg) on postoperative shivering in cesarean section with spinal anesthesia

-Comparison study of preemptive effect of intrathecal fentanyl with intravenous ondansetron, dexamethasone, and dexamethasone plus ondansetron on shivering during surgeries under spinal anesthesia with bupivacaine

-The efficacy of different doses of liquorice gargling for attenuating postoperative sore throat and cough after tracheal intubation

-Acromio-axillo-suprasternal notch index: a new screening test to predict difficult laryngoscopy in obstetric patients scheduled for caesarean delivery

-A Comparison on the Preventive Effect of 100 mg and 200 mg Oral Celecoxib on shivering during and after orthopedic lower extremity surgery under the spinal anesthesia; A randomized controlled clinical trial study

-The evaluation of effects two different doses of hydrocortisone on the intensity of perioperative shivering in elective surgery under spinal anesthesia: A double-blind randomized controlled trial study

-Prophylactic antiemetic effects of Midazolam, Ondansetron, and their combination after middle ear surgery

-Prophylactic antiemetic effects of midazolam, ondansetron and their combination after middle ear surgery

-Comparing "acromio-axillo-suprasternal notch index (AASI)" as a new screening test for predicting difficult laryngoscopy with four commonly used tests

-Evaluation of the relationship between serum level of selenium at arrival to intensive care unit with duration of mechanical ventilation, mortality and inflammatory factors in multiple trauma patients

-Evaluation of prophylactic injection of two doses of tramadol on heart rate and blood pressure changes compared with control group after laryngoscopy and intubation

- Evaluating the relationship of serum level of magnesium at arrival to intensive care unit and mortality rate and inflammatory factors in patients with multiple trauma
 - Comparative evaluation of the effects of different doses of labetalol on cardiovascular response to tracheal intubation
 - Evaluating the prophylactic effect of magnesium sulfate and combination of midazolam and ketamine for prevention of shivering during regional anaesthesia
 - Evaluating the effect of various doses of magnesium sulfate on cardiovascular changing and stimulating due to laryngoscopes and intubation
 - The efficacy of different doses of Midazolam added to Lidocaine for upper extremity Bier block on the sensory and motor block characteristics and postoperative pain
 - The comparative study of intravenous Ondansetron and sub-hypnotic Propofol dose in control and treatment of intrathecal Sufentanil-induced pruritus in elective caesarean surgery
-
- Different doses of intravenous Magnesium sulfate on cardiovascular changes following the laryngoscopy and tracheal intubation: A double-blind randomized controlled trial
 - Magnesium sulfate versus Lidocaine pretreatment for prevention of pain on etomidate injection: A randomized, double-blinded placebo controlled trial
 - Intrathecal Meperidine versus intrathecal Fentanyl for prevention of shivering in lower limb orthopedic surgeries under spinal anesthesia: A randomized double-blind placebo-controlled trial
 - Prophylactic effects of intrathecal Meperidine and intravenous Ondansetron on shivering in patients undergoing lower extremity orthopedic surgery under spinal anesthesia
 - A randomized controlled trial for the effectiveness of intraarticular versus intravenous midazolam on pain after knee arthroscopy
-
- Impact of preoperative clopidogrel administration on perioperative blood loss and transfusion requirements in patients undergoing coronary artery bypass graft surgery
 - An evaluation of the efficacy of different doses of ketamine for treatment of catheter-related bladder discomfort in patients underwent urologic surgery: A prospective, randomized, placebo-controlled, double-blind study
 - Comparing the effects of low doses of propofol, ketamine and combination of propofol-ketamine in prevention of post-extubation coughing and laryngospasm
-
- The relationship of anthropometric indices and hemodynamic changes after laryngoscopy

-Intravenous dexamethasone vs. ketamine gargle vs. intravenous dexamethasone combined with ketamine gargle for evaluation of postoperative sore throat and hoarseness: A randomized, placebo-controlled, double-blind clinical trial

-Comparison of effect of intravenous ketamine, peritonsillar infiltration of tramadol and their combination on pediatric post-tonsillectomy pain: A doubleblinded

randomized placebo-controlled clinical trial

-Comparison of effect of intravenous ketamine, peritonsillar infiltration of tramadol and their combination on pediatric posttonsillectomy pain: A doubleblinded

randomized placebo-controlled clinical trial

-The effect of magnesium sulfate on blood pressure and heart rate after electroconvulsive therapy

-Prophylactic administration of haloperidol plus midazolam reduces postoperative nausea and vomiting better than using each drug alone in patients undergoing middle ear surgery

-Effect of three different dosages of magnesium sulfate on attenuating hemodynamic responses after electroconvulsive therapy: A randomized, double-blind, placebo-controlled trial

-Preincisional analgesia with subcutaneous administration of tramadol reduces postoperative pain in patients after open urologic surgeries: A randomized, double-blind, placebo-controlled study

-Effect of erythropoietin on Glasgow Coma Scale and Glasgow Outcome Scale in patient with diffuse axonal injury

-Assessing Intravenous Ketamine and Intravenous Dexamethasone Separately and in Combination for Early Oral Intake, Vomiting and Postoperative Pain Relief in Children Following Tonsillectomy

-Effect of three different dosages of magnesium sulfate on attenuating hemodynamic responses after electroconvulsive therapy:A randomized, double-blind, placebo-controlled trial

-Effects of adding low-dose ketamine to remifentanil-midazolam infusion under topical anesthesia on pain relief after nasal bone fracture

-Preincisional administration of intravenous or subcutaneous infiltration of lowdose

ketamine suppresses postoperative pain after appendectomy

-The analgesic effect of three different doses of nitroglycerine when added to lidocaine for intravenous regional anesthesia in trauma patients

-Pre-Incisional Analgesia with Intravenous or Subcutaneous Infiltration of Ketamine Reduces Postoperative Pain in Patients after Open Cholecystectomy: A Randomized, Double-Blind, Placebo-Controlled Study

- The analgesic effect of midazolam when added to lidocaine for intravenous regional anaesthesia
- Gabapentin: An update of its pharmacological properties and therapeutic use in epilepsy
- A comparison of the ratio of patients height to thyromental distance with the modified Mallampati and the upper lip bite test in predicting difficult laryngoscopy
- Correlation between micromagnetism and tunnel magnetoresistance in magnetic tunnel junctions using artificial ferrimagnets

-Spinal anesthesia versus general anesthesia for elective lumbar spine surgery: A randomized clinical trial

-Short-Time Intermittent Preexposure of Living Human Donors to Hyperoxia Improves Renal Function in Early Posttransplant Period: A Double-Blind Randomized Clinical Trial

-Post-delivery cardiomyopathy in a patient admitted to critical care unit; a rare case report

-A new system for neuronavigation and stereotactic biopsy pantograph stereotactic localization and guidance system

-Attenuation of the Pressor Response to Tracheal Intubation in Severe Preeclampsia: Relative Efficacies of Nitroglycerine Infusion, Sublingual Nifedipine, and Intravenous Hydralazine

-Attenuation of the pressor response to direct laryngoscopy and tracheal intubation: Oral clonidine vs. oral gabapentin premedication

-Predisposing factors for serum sodium disturbance in patients with severe traumatic brain injury (SBI)

-Effects of intraoperative-intrathecal sufentanil injection on postoperative pain management after single level lumbar discectomy

-The use of infection probability score and sequential organ failure assessment scoring systems in predicting mechanical ventilation requirement and duration

-Pre-incisional infiltration of tonsils with dexamethasone dose not reduce posttonsillectomy vomiting and pain in children

-Postoperative analgesic and adverse effects of two low doses of intrathecal neostigmine and its influence on spinal bupivacaine anaesthesia after knee arthroscopy

-The association of microalbuminuria and duration of mechanical ventilation in critically ill trauma patients

-A comparison of different doses of remifentanil and tracheal lidocaine on attenuation of cardiovascular responses to laryngoscopy and tracheal

intubation

-The impact of admission hyperglycemia or hypoalbuminemia on need ventilator, time ventilated, mortality, and morbidity in critically ill trauma patients

-The comparability of Second dose Thiopental with Lidocaine in The attenuation of Cardiovascular response to Endotracheal intubation

-Low dose intravenous midazolam for prevention of ponv, in lower abdominal surgery

-Comparison of prophylactic use of midazolam, ketamine, and ketamine plus midazolam for prevention of shivering during regional anaesthesia: a randomized double-blind placebo controlled trial

-Do C-reactive protein and body mass index predict duration of mechanical ventilation in critically ill trauma patients?

-Prediction of difficult laryngoscopy in obstetric patients scheduled for Caesarean delivery

-Prediction of arterial blood gas values from arterialized earlobe blood gas values in patients treated with mechanical ventilation

-The preventative analgesic effect of preincisional peritonsillar infiltration of two low doses of ketamine for postoperative pain relief in children following adenotonsillectomy. A randomized, double-blind, placebo-controlled study

-Tracheal intubation without muscle relaxants: a randomized study of remifentanyl or alfentanil in combination with thiopental

-Magnesium sulphate pretreatment to alleviate pain on propofol injection: A comparison with ketamine or lidocaine

-Prevention of propofol-induced injection pain by sufentanil - A placebocontrolled comparison with remifentanyl

-Beclomethasone inhaler versus intravenous lidocaine in the prevention of postoperative airway and throat complaints: a randomized, controlled trial

-The new Injury Severity Score: a more accurate predictor of need ventilator and time ventilated in trauma patients than the Injury Severity Score

-The Cardiovascular Changes Induced by Inspired Oxygen Fraction in Patients Undergoing on-pump Coronary Artery Surgery

-Adding magnesium to lidocaine for intravenous regional anesthesia

-Attenuation of cardiovascular responses to laryngoscopy and tracheal intubation-Intravenous sufentanil vs pethidine

-Intra-operative ketamine infiltration in tonsillar bed for relief of posttonsillectomy pain

-Postoperative analgesia after caesarean section: Intermittent intramuscular

versus subcutaneous morphine boluses

-Comparison of Infection Probability Score, APACHE II, and APACHE III scoring systems in predicting need for ventilator and ventilation duration in critically ill patients

-Preoperative oral dextromethorphan vs. clonidine to prevent tourniquet-induced cardiovascular responses in orthopaedic patients under general anaesthesia

-Pre-emptive gabapentin significantly reduces postoperative pain and morphine demand following lower extremity orthopaedic surgery

-A Comparative Effect of Intravenous Pethidine vs Sufentanil on Attenuation of Cardiovascular Responses to Laryngoscopy and Tracheal Intubation: a

-Randomized Double-Blind Placebo Controlled Trial Study

Influence of head flexion on intraocular pressure, cardiovascular, and respiratory responses in patients undergoing cataract surgery after

endotracheal intubation

-Admission hypomagnesemia -Impact on mortality or morbidity in critically ill patients -

-Comparison of effects of thiopental, propofol or ketamine on the

cardiovascular responses of the oculocardiac reflex during strabismus surgery

-Comparative effects of different anesthetic regimens on the oculocardiac reflex

-The new injury severity score: A more accurate predictor of need ventilator and time ventilated in trauma patients than the injury severity score

-Effect of preextubation intravenous betamethasone on postoperative antiemetic and analgesic requirement after laparoscopic surgery

-Effect of oral dextromethorphan premedication on the intraoperative morphine requirement

Scholarships and Awards

Name, (significant info., amount), date

Professional Profile

Academic Employment - Teaching and Research

Responsibilities

Achievements

Employment History - General

Publications

Comparison of Intraperitoneal Versus Intravenous Dexamethasone on Postoperative Pain, Nausea, and Vomiting After Laparoscopic Cholecystectomy

Published: Apr 2022 in Anesthesiology and Pain Medicine
DOI: 10.5812/AAPM-122203

Comparison of airway assessment tests for prediction of difficult intubation in obese patients: importance of thyromental height and upper lip bite test

Published: Mar 2022 in Minerva Anestesiologica
DOI: 10.23736/S0375-9393.21.15764-5

0

A comparison of disk diffusion method and E-test in determining the susceptibility and resistance of Klebsiella and Acinetobacter strains to cefepime in patients with ventilator-associated pneumonia admitted to the intensive care unit

Published: Feb 2022 in Immunopathologia Persa
DOI: 10.34172/IPP.2022.30330

The effect of caudal epidural block on the surgical complications of hypospadias repair in children aged 6 to 35 months: A randomized controlled trial

Published: Feb 2022 in Journal of Pediatric Urology
DOI: 10.1016/J.JPUROL.2021.11.009

Evaluation of Plasma Fibrinogen Levels before and after Coronary Artery Bypass Graft Surgery and Its Association with the Need for Blood Products

Published: Jan 2022 in Advanced Biomedical Research
DOI: 10.4103/ABR.ABR_22_21

0

The effect of a flexible family visit on nausea, vomiting, pain and physiological parameters after laparoscopic cholecystectomy in post-anesthesia care unit: A randomized controlled trial

Published: Dec 2021 in Perioperative Care and Operating Room Management
DOI: 10.1016/J.PCORM.2021.100222

An Evaluation of the Online Quality of Content of United States Accredited Pain Medicine Fellowship Training Programs

Published: Jun 2021 in Anesthesiology and Pain Medicine
DOI: 10.5812/AAPM.115981

A Comparative Study of Valsalva Maneuver, Lidocaine, and Valsalva Maneuvers with Administration of Lidocaine to Reduce the Pain Associated with Administration of Etomidate During General Anesthesia

Published: Jun 2021 in Anesthesiology and Pain Medicine
DOI: 10.5812/AAPM.113408

Comparison Prophylactic Effects of Gargling Different Doses of Ketamine on Attenuating Postoperative Sore Throat: A Single-Blind Randomized Controlled Trial

Published: Jan 2021 in International Journal of Preventive Medicine
DOI: 10.4103/IJPVM.IJPVM_147_19

0

Comparison of hemodynamic changes and serum potassium levels in the use of succinylcholine and cisatracurium in electroconvulsive therapy

Published: 2021 in Journal of Research in Medical Sciences
DOI: 10.4103/JRMS.JRMS_951_19

Anaesthetic Management of a Known Case of Werner Syndrome by Peripheral Nerve Block in the Orthopaedic Surgery of Forearm

Published: Jun 2020 in Turkish Journal of Anaesthesiology and Reanimation
DOI: 10.5152/TJAR.2020.93902

0

How to predict difficult tracheal intubation: The application of acromio-axillosuprasternal notch index

Published: May 2020 in Advanced Biomedical Research
DOI: 10.4103/ABR.ABR_228_19

1

Comparing the prophylactic effects of oral gabapentin, pregabalin, and celecoxib on postoperative pain management in orthopedic surgery of the lower extremity: A double-blind randomized controlled trial

Published: Jan 2020 in Journal of Research in Medical Sciences
DOI: 10.4103/JRMS.JRMS_140_19

6

Effects of adding dexmedetomidine to ketamine on heart rate and blood pressure changes in psychiatric patients undergoing electroconvulsive therapy

Published: 2020 in Koomesh

The effect of adding dexmedetomidine on change in heart rate and blood pressure after induction of anesthesia with thiopental sodium in electroconvulsive therapy; A randomized clinical trial study

Published: 2020 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V38I579.13041

Comparison of the acromio-axillosuprasternal notch index with five anatomical indices for the prediction of difficult laryngoscopy and intubation

Published: Jul 2019 in European Journal of Anaesthesiology
DOI: 10.1097/EJA.0000000000001000

0

Comparison of the effect of thiopental sodium-midazolam combination on the hemodynamic response between tracheal intubation and laryngeal mask airway insertion: A clinical trial study

Published: Jun 2019 in Scientific Journal of Kurdistan University of Medical Sciences
DOI: 10.29252/SJKU.24.2.99

Comparison of the effect of dexamethasone, midazolam, and ondansetron injection alone, or in combination, and placebo on the severity of shivering during and after spinal anesthesia in orthopedic operations of the lower limb

Published: 2019 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V37I518.10948

A comparative study of predicting difficult intubation by six indexes of thyromental height (TMH), acromioaxillary-suprasternal notch index (AASI), modified mallampati test (MMT), upper lip biting test (ULBT), height to thyromental distance ratio (RHTMD), and neck circumference to thyromental height ratio (NC/TMH) in patients undergoing general anesthesia

Published: 2019 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V37I517.11119

Comparison of the performance of acromioaxillosuprasternal notch index with old method of anatomical measurement of head and neck in predicting laryngoscopy forecasting problems in pediatrics surgical procedures requiring tracheal intubation under general anesthesia

Published: 2019 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V37I514.10956

Evaluation and comparison of the effects of intravenous lidocaine versus alkalinized intracuff lidocaine on coughing and postoperative sore throat

Published: 2019 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V36I510.10699

Preventive effect of different doses of tramadol on postoperative shivering during and after lower limb orthopedic surgery under spinal anesthesia as compared to control group

Published: 2018 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V36I489.9908

The preemptive effect of magnesium sulfate gargle, ketamine gargle or dexamethasone intravenous injection on sore throat following surgery in patients undergoing surgery with general anesthesia

Published: 2018 in Journal of Isfahan Medical School
DOI: 10.22122/JIMS.V36I497.10141

Comparing the effect of sodium thiopental, magnesium sulfate, midazolam, prime etomidate, and remifentanil on myoclonus incidence and pain induced by anesthesia with etomidate

Published: 2018 in Journal of Isfahan Medical School

The effect of using topical lidocaine on blade and cuff of laryngoscope, and tracheal mucosa on changes of heart rate and blood pressure during laryngoscopy and intubation

Published: 2017 in Journal of Isfahan Medical School

Comparison of the effects of remifentanyl-propofol and remifentanylisoflurane on hemodynamic variables, blood gases, and blood glucose among patients under general anesthesia

Published: 2017 in Journal of Isfahan Medical School

The effect of labetalol or remifentanil on blood pressure and heart rate after laryngoscopy and intubation

Published: 2017 in Journal of Isfahan Medical School

The effects of three different doses of sufentanil on changes in blood pressure and heart rate after laryngoscopy and intubation, and comparison with the control group

Published: 2017 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V37I556.12203

Association of mean arterial pressure during cardiopulmonary pump and incidence of delirium after coronary artery bypass graft surgery

Published: 2017 in Journal of Isfahan Medical School

The effect of intravenous hydrocortisone (1 or 2 mg/kg) on postoperative shivering in cesarean section with spinal anesthesia

Published: 2017 in Journal of Isfahan Medical School

Comparison study of preemptive effect of intratechal fentanyl with intravenous ondansetron, dexamethasone, and dexamethasone plus ondansetron on shivering during surgeries under spinal anesthesia with bupivacaine

Published: 2017 in Journal of Isfahan Medical School

The efficacy of different doses of liquorice gargling for attenuating postoperative sore throat and cough after tracheal intubation

Published: Aug 2016 in European Journal of Anaesthesiology

DOI: 10.1097/EJA.0000000000000400

6

Acromio-axillo-suprasternal notch index: a new screening test to predict difficult laryngoscopy in obstetric patients scheduled for caesarean delivery

Published: Aug 2016 in European Journal of Anaesthesiology

DOI: 10.1097/EJA.0000000000000437

2

A Comparison on the Preventive Effect of 100 mg and 200 mg Oral Celecoxib on shivering during and after orthopedic lower extremity surgery under the spinal anesthesia; A randomized controlled clinical trial study

Published: 2016 in Journal of Isfahan Medical School

DOI: 10.22122/JIMS.V38I564.10988

The evaluation of effects two different doses of hydrocortisone on the intensity of perioperative shivering in elective surgery under spinal anesthesia: A double-blind randomized controlled trial study

Published: 2016 in Journal of Research in Medical Sciences

DOI: 10.4103/1735-1995.183993

1

Prophylactic antiemetic effects of Midazolam, Ondansetron, and their combination after middle ear surgery

Published: 2016 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.176556

5

Prophylactic antiemetic effects of midazolam, ondansetron and their combination after middle ear surgery

Published: 2016 in Journal of Isfahan Medical School

Comparing "acromio-axillo-suprasternal notch index (AASI)" as a new screening test for predicting difficult laryngoscopy with four commonly used tests

Published: 2016 in Journal of Isfahan Medical School

Evaluation of the relationship between serum level of selenium at arrival to intensive care unit with duration of mechanical ventilation, mortality and inflammatory factors in multiple trauma patients

Published: 2016 in Journal of Isfahan Medical School

Evaluation of prophylactic injection of two doses of tramadol on heart rate and blood pressure changes compared with control group after laryngoscopy and intubation

Published: 2016 in Journal of Isfahan Medical School

Evaluating the relationship of serum level of magnesium at arrival to intensive care unit and mortality rate and inflammatory factors in patients with multiple trauma

Published: 2016 in Journal of Isfahan Medical School

Comparative evaluation of the effects of different doses of labetalol on cardiovascular response to tracheal intubation

Published: 2016 in Journal of Isfahan Medical School

Evaluating the prophylactic effect of magnesium sulfate and combination of midazolam and ketamine for prevention of shivering during regional anaesthesia

Published: 2016 in Journal of Isfahan Medical School

Evaluating the effect of various doses of magnesium sulfate on cardiovascular changing and stimulating due to laryngoscopes and intubation

Published: 2015 in Journal of Isfahan Medical School

The efficacy of different doses of Midazolam added to Lidocaine for upper extremity Bier block on the sensory and motor block characteristics and postoperative pain

Published: 2015 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.162359

4

The comparative study of intravenous Ondansetron and sub-hypnotic Propofol dose in control and treatment of intrathecal Sufentanil-induced pruritus in elective caesarean surgery

Published: 2015 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.155751

2

Different doses of intravenous Magnesium sulfate on cardiovascular changes following the laryngoscopy and tracheal intubation: A double-blind randomized controlled trial

Published: 2015 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.154365

12

Magnesium sulfate versus Lidocaine pretreatment for prevention of pain on etomidate injection: A randomized, double-blinded placebo controlled trial

Published: 2015 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.150044

4

Intrathecal Meperidine versus intrathecal Fentanyl for prevention of shivering in lower limb orthopedic surgeries under spinal anesthesia: A randomized double-blind placebo-controlled trial

Published: Oct 2014 in Journal of Research in Pharmacy Practice

DOI: 10.4103/2279-042X.145390

5

Prophylactic effects of intrathecal Meperidine and intravenous Ondansetron on shivering in patients undergoing lower extremity orthopedic surgery under spinal anesthesia

Published: Jul 2014 in Journal of Research in Pharmacy Practice
DOI: 10.4103/2279-042X.141105

19

A randomized controlled trial for the effectiveness of intraarticular versus intravenous midazolam on pain after knee arthroscopy

Published: May 2014 in Journal of Research in Medical Sciences

4

Impact of preoperative clopidogrel administration on perioperative blood loss and transfusion requirements in patients undergoing coronary artery bypass graft surgery

Published: 2014 in Journal of Isfahan Medical School

An evaluation of the efficacy of different doses of ketamine for treatment of catheter-related bladder discomfort in patients underwent urologic surgery: A prospective, randomized, placebo-controlled, double-blind study

Published: 2014 in Urology Annals
DOI: 10.4103/0974-7796.127030

12

Comparing the effects of low doses of propofol, ketamine and combination of propofol-ketamine in prevention of post-extubation coughing and laryngospasm

Published: 2014 in Journal of Isfahan Medical School

The relationship of anthropometric indices and hemodynamic changes after laryngoscopy

Published: 2014 in Journal of Isfahan Medical School

Intravenous dexamethasone vs. ketamine gargle vs. intravenous dexamethasone combined with ketamine gargle for evaluation of postoperative sore throat and hoarseness: A randomized, placebo-controlled, double-blind clinical trial

Published: 2013 in Journal of Isfahan Medical School

Comparison of effect of intravenous ketamine, peritonsillar infiltration of tramadol and their combination on pediatric post-tonsillectomy pain: A doubleblinded

randomized placebo-controlled clinical trial

Published: 2013 in Research in Pharmaceutical Sciences

11

Comparison of effect of intravenous ketamine, peritonsillar infiltration of tramadol and their combination on pediatric posttonsillectomy pain: A doubleblinded

randomized placebo-controlled clinical trial

Published: 2013 in Research in Pharmaceutical Sciences

The effect of magnesium sulfate on blood pressure and heart rate after electroconvulsive therapy

Published: 2013 in Journal of Isfahan Medical School

Prophylactic administration of haloperidol plus midazolam reduces

postoperative nausea and vomiting better than using each drug alone in patients undergoing middle ear surgery

Published: Apr 2012 in Saudi Journal of Anaesthesia

DOI: 10.4103/1658-354X.97028

10

Effect of three different dosages of magnesium sulfate on attenuating hemodynamic responses after electroconvulsive therapy: A randomized, double-blind, placebo-controlled trial

Published: Jan 2012 in Pakistan Journal of Medical Sciences

1

Preincisional analgesia with subcutaneous administration of tramadol reduces postoperative pain in patients after open urologic surgeries: A randomized, double-blind, placebo-controlled study

Published: Jan 2012 in Pakistan Journal of Medical Sciences

3

Effect of erythropoietin on Glasgow Coma Scale and Glasgow Outcome Scale in patient with diffuse axonal injury

Published: 2012 in Journal of Research in Medical Sciences

18

Assessing Intravenous Ketamine and Intravenous Dexamethasone Separately and in Combination for Early Oral Intake, Vomiting and Postoperative Pain Relief in Children Following Tonsillectomy

Published: 2012 in Medical Archives

DOI: 10.5455/MEDARH.2012.66.111-115

Effect of three different dosages of magnesium sulfate on attenuating hemodynamic responses after electroconvulsive therapy: A randomized, double-blind, placebo-controlled trial

Published: 2012 in Pakistan Journal of Medical Sciences

Effects of adding low-dose ketamine to remifentanyl-midazolam infusion under topical anesthesia on pain relief after nasal bone fracture

Published: 2012 in Journal of Isfahan Medical School

Preincisional administration of intravenous or subcutaneous infiltration of lowdose

ketamine suppresses postoperative pain after appendectomy

Published: Dec 2011 in Journal of Pain Research

DOI: 10.2147/JPR.S26476

The analgesic effect of three different doses of nitroglycerine when added to lidocaine for intravenous regional anesthesia in trauma patients

Published: Nov 2011 in Ulusal Travma ve Acil Cerrahi Dergisi

DOI: 10.5505/TJTES.2011.30643

2

Pre-Incisional Analgesia with Intravenous or Subcutaneous Infiltration of Ketamine Reduces Postoperative Pain in Patients after Open Cholecystectomy: A Randomized, Double-Blind, Placebo-Controlled Study

Published: Sep 2011 in Pain Medicine

DOI: 10.1111/J.1526-4637.2011.01205.X

26

The analgesic effect of midazolam when added to lidocaine for intravenous regional anaesthesia

Published: Sep 2011 in Journal of Research in Medical Sciences

21

Gabapentin: An update of its pharmacological properties and therapeutic use in epilepsy

Published: Aug 2011 in Journal of Research in Medical Sciences

25

A comparison of the ratio of patients height to thyromental distance with the modified Mallampati and the upper lip bite test in predicting difficult laryngoscopy

Published: Jul 2011 in Saudi Journal of Anaesthesia

DOI: 10.4103/1658-354X.84098

28

Correlation between micromagnetism and tunnel magnetoresistance in magnetic tunnel junctions using artificial ferrimagnets

Published: May 2011 in Physical Review B

DOI: 10.1103/PHYSREVB.61.580

61

Spinal anesthesia versus general anesthesia for elective lumbar spine surgery: A randomized clinical trial

Published: Apr 2011 in Journal of Research in Medical Sciences

DOI: 10.7176/JHMN/88-04

65

Short-Time Intermittent Preexposure of Living Human Donors to Hyperoxia Improves Renal Function in Early Posttransplant Period: A Double-Blind Randomized Clinical Trial

Published: Jan 2011 in Journal of Transplantation

DOI: 10.1155/2011/204843

6

Post-delivery cardiomyopathy in a patient admitted to critical care unit; a rare case report

Published: 2011

A new system for neuronavigation and stereotactic biopsy pantograph stereotactic localization and guidance system

Published: 2011 in Journal of Surgical Technique and Case Report

DOI: 10.4103/2006-8808.92800

Attenuation of the Pressor Response to Tracheal Intubation in Severe Preeclampsia: Relative Efficacies of Nitroglycerine Infusion, Sublingual Nifedipine, and Intravenous Hydralazine

Published: 2011 in Anesthesiology and Pain Medicine

DOI: 10.5812/KOWSAR.22287523.1782

Attenuation of the pressor response to direct laryngoscopy and tracheal intubation: Oral clonidine vs. oral gabapentin premedication

Published: 2011 in Journal of Research in Medical Sciences

Predisposing factors for serum sodium disturbance in patients with severe traumatic brain injury (SBI)

Published: Dec 2010 in Turkish Journal of Medical Sciences

DOI: 10.3906/SAG-0908-202

2

Effects of intraoperative-intrathecal sufentanil injection on postoperative pain management after single level lumbar discectomy

Published: 2010 in Middle East Journal of Anesthesiology

The use of infection probability score and sequential organ failure assessment scoring systems in predicting mechanical ventilation requirement and duration

Published: Sep 2009 in Ulusal Travma ve Acil Cerrahi Dergisi

5

Pre-incisional infiltration of tonsils with dexamethasone dose not reduce posttonsillectomy vomiting and pain in children

Published: Jul 2009 in Saudi Journal of Anaesthesia

DOI: 10.4103/1658-354X.57874

9

Postoperative analgesic and adverse effects of two low doses of intrathecal neostigmine and its influence on spinal bupivacaine anaesthesia after knee arthroscopy

Published: Mar 2009 in Acute Pain

DOI: 10.1016/J.ACPAIN.2008.10.001

The association of microalbuminuria and duration of mechanical ventilation in critically ill trauma patients

Published: Jan 2009 in Ulusal Travma ve Acil Cerrahi Dergisi

5

A comparison of different doses of remifentanyl and tracheal lidocaine on attenuation of cardiovascular responses to laryngoscopy and tracheal intubation

Published: 2009 in Turkish Journal of Medical Sciences

DOI: 10.3906/SAG-0801-19

2

The impact of admission hyperglycemia or hypoalbuminemia on need ventilator, time ventilated, mortality, and morbidity in critically ill trauma patients

Published: 2009 in Ulusal Travma ve Acil Cerrahi Dergisi

10

The comparability of Second dose Thiopental with Lidocaine in The attenuation of Cardiovascular response to Endotracheal intubation

Published: 2009 in International Cardiovascular Research Journal

0

Low dose intravenous midazolam for prevention of PONV, in lower abdominal surgery

Published: 2009 in Middle East Journal of Anesthesiology

Comparison of prophylactic use of midazolam, ketamine, and ketamine plus midazolam for prevention of shivering during regional anaesthesia: a randomized double-blind placebo controlled trial

Published: Oct 2008 in British Journal of Anaesthesia

DOI: 10.1093/BJA/AEN205

46

Do C-reactive protein and body mass index predict duration of mechanical ventilation in critically ill trauma patients?

Published: Oct 2008 in *Ulusal Travma ve Acil Cerrahi Dergisi*

3

Prediction of difficult laryngoscopy in obstetric patients scheduled for Caesarean delivery

Published: Sep 2008 in *European Journal of Anaesthesiology*

DOI: 10.1017/S026502150800433X

24

Prediction of arterial blood gas values from arterialized earlobe blood gas values in patients treated with mechanical ventilation

Published: Sep 2008 in *Indian Journal of Critical Care Medicine*

DOI: 10.4103/0972-5229.43677

16

The preventative analgesic effect of preincisional peritonsillar infiltration of two low doses of ketamine for postoperative pain relief in children following adenotonsillectomy. A randomized, double-blind, placebo-controlled study

Published: Jun 2008 in *Pediatric Anesthesia*

DOI: 10.1111/J.1460-9592.2008.02461.X

38

Tracheal intubation without muscle relaxants: a randomized study of remifentanyl or alfentanil in combination with thiopental

Published: Mar 2008 in *Annals of Saudi Medicine*

DOI: 10.5144/0256-4947.2008.89

7

Magnesium sulphate pretreatment to alleviate pain on propofol injection: A comparison with ketamine or lidocaine

Published: Mar 2008 in *Acute Pain*

DOI: 10.1016/J.ACPAIN.2008.01.001

Prevention of propofol-induced injection pain by sufentanil - A placebocontrolled comparison with remifentanyl

Published: Jan 2008 in *Clinical Drug Investigation*

DOI: 10.2165/00044011-200828010-00004

11

Beclomethasone inhaler versus intravenous lidocaine in the prevention of postoperative airway and throat complaints: a randomized, controlled trial

Published: Jan 2008 in *Annals of Saudi Medicine*

DOI: 10.5144/0256-4947.2008.11

19

The new Injury Severity Score: a more accurate predictor of need ventilator and time ventilated in trauma patients than the Injury Severity Score

Published: 2008 in *Ulusal Travma ve Acil Cerrahi Dergisi*

7

The Cardiovascular Changes Induced by Inspired Oxygen Fraction in Patients Undergoing on-pump Coronary Artery Surgery

Published: 2008 in *International Cardiovascular Research Journal*

0

Adding magnesium to lidocaine for intravenous regional anesthesia

Published: 2008 in Journal of Research in Medical Sciences

DOI: 10.1097/00003643-200406002-00370

4

Attenuation of cardiovascular responses to laryngoscopy and tracheal intubation-Intravenous sufentanil vs pethidine

Published: 2008 in Middle East Journal of Anesthesiology

Intra-operative ketamine infiltration in tonsillar bed for relief of posttonsillectomy pain

Published: 2008 in Tehran University Medical Journal

Postoperative analgesia after caesarean section: Intermittent intramuscular versus subcutaneous morphine boluses

Published: Dec 2007 in Acute Pain

DOI: 10.1016/J.ACPAIN.2007.08.023

Comparison of Infection Probability Score, APACHE II, and APACHE III scoring systems in predicting need for ventilator and ventilation duration in critically ill patients

Published: Jul 2007 in Archives of Iranian Medicine

9

Preoperative oral dextromethorphan vs. clonidine to prevent tourniquet-induced cardiovascular responses in orthopaedic patients under general anaesthesia

Published: Jun 2007 in European Journal of Anaesthesiology

DOI: 10.1017/S0265021506002055

8

Pre-emptive gabapentin significantly reduces postoperative pain and morphine demand following lower extremity orthopaedic surgery

Published: 2007 in Singapore Medical Journal

A Comparative Effect of Intravenous Pethidine vs Sufentanil on Attenuation of Cardiovascular Responses to Laryngoscopy and Tracheal Intubation: a Randomized Double-Blind Placebo Controlled Trial Study

Published: 2007 in International Cardiovascular Research Journal

0

Influence of head flexion on intraocular pressure, cardiovascular, and respiratory responses in patients undergoing cataract surgery after endotracheal intubation

Published: 2007 in International Cardiovascular Research Journal

0

Admission hypomagnesemia -Impact on mortality or morbidity in critically ill patients -

Published: 2007 in Middle East Journal of Anesthesiology

Comparison of effects of thiopental, propofol or ketamine on the cardiovascular responses of the oculocardiac reflex during strabismus surgery

Published: 2007 in Journal of Research in Medical Sciences

Comparative effects of different anesthetic regimens on the oculocardiac reflex

Published: 2007 in International Cardiovascular Research Journal

0

The new injury severity score: A more accurate predictor of need ventilator and time ventilated in trauma patients than the injury severity score

Published: Oct 2006 in Indian Journal of Critical Care Medicine
DOI: 10.4103/0972-5229.29839

1

Effect of preextubation intravenous betamethasone on postoperative antiemetic and analgesic requirement after laparoscopic surgery

Published: Jun 2004 in European Journal of Anaesthesiology
DOI: 10.1097/00003643-200406002-00706

0

Effect of oral dextromethorphan premedication on the intraoperative morphine requirement

Published: Jun 2004 in European Journal of Anaesthesiology
DOI: 10.1097/00003643-200406002-00674

0

Presentations

- Presentation and Poster session in Isfahan congress of Anesthesiology in 2000
- Presentation and Poster session in Tehran congress of Anesthesiology in 2005
- Presentation and Poster session in Tabriz congress of Anesthesiology in 2008



